

**IN THE CLAIMS**

1-73. (Canceled).

74. (New): A method of making up the skin, eyelashes or lips comprising applying to the skin, eyelashes or lips a composition comprising at least one polyorganosiloxane homopolymer or copolymer comprising at least one polyorganosiloxane group comprising at least two groups capable of establishing hydrogen interactions, at least one film former, and at least one volatile oil in an amount sufficient to make-up the skin, eyelashes or lips.

75. (New): The method of claim 74, wherein the composition is liquid.

76. (New): The method of claim 74, wherein the polyorganosiloxane homopolymer or copolymer is a silicone-polyamide copolymer.

77. (New): The method of claim 74, wherein the film former is a silicone resin.

78. (New): The method of claim 77, wherein the film former is an MK or MQ resin.

79. (New): The method of claim 78, wherein the film former is an MQ resin.

80. (New): The method of claim 76, wherein the film former is an MQ resin.

81. (New): The method of claim 74, wherein the volatile oil is a volatile hydrocarbon oil.

82. (New): The method of claim 80, wherein the volatile oil is a volatile hydrocarbon oil.

83. (New): The method of claim 81, wherein the volatile oil is isododecane.

84. (New): The method of claim 82, wherein the volatile oil is isododecane.

85. (New): The method of claim 76, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

86. (New): The method of claim 80, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

87. (New): The method of claim 74, wherein the composition is anhydrous.

88. (New): The method of claim 87, wherein the polyorganosiloxane homopolymer or copolymer is a silicone-polyamide copolymer.

89. (New): The method of claim 87, wherein the film former is a silicone resin.

90. (New): The method of claim 89, wherein the film former is an MK or MQ resin.

91. (New): The method of claim 90, wherein the film former is an MQ resin.

92. (New): The method of claim 88, wherein the film former is an MQ resin.

93. (New): The method of claim 87, wherein the volatile oil is a volatile hydrocarbon oil.

94. (New): The method of claim 91, wherein the volatile oil is a volatile hydrocarbon oil.

95. (New): The method of claim 92, wherein the volatile oil is a volatile hydrocarbon oil.

96. (New): The method of claim 88, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

97. (New): The method of claim 92, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

98. (New): The method of claim 74, wherein the method comprises applying to the lips a composition comprising comprising at least one polyorganosiloxane homopolymer or copolymer comprising at least one polyorganosiloxane group comprising at least two groups capable of establishing hydrogen interactions, at least one film former, and at least one volatile oil in an amount sufficient to make-up the lips.

99. (New): The method of claim 98, wherein the composition is liquid.

100. (New): The method of claim 98, wherein the polyorganosiloxane homopolymer or copolymer is a silicone-polyamide copolymer.

101. (New): The method of claim 98, wherein the film former is a silicone resin.

102. (New): The method of claim 101, wherein the film former is an MK or MQ resin.

103. (New): The method of claim 102, wherein the film former is an MQ resin.

104. (New): The method of claim 100, wherein the film former is an MQ resin.

105. (New): The method of claim 98, wherein the volatile oil is a volatile hydrocarbon oil.

106. (New): The method of claim 104, wherein the volatile oil is a volatile hydrocarbon oil.

107. (New): The method of claim 105, wherein the volatile oil is isododecane.

108. (New): The method of claim 106, wherein the volatile oil is isododecane.

109. (New): The method of claim 100, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

110. (New): The method of claim 104, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

111. (New): The method of claim 98, wherein the composition is anhydrous.

112. (New): The method of claim 111, wherein the polyorganosiloxane homopolymer or copolymer is a silicone-polyamide copolymer.

113. (New): The method of claim 111, wherein the film former is a silicone resin.

114. (New): The method of claim 113, wherein the film former is an MK or MQ resin.

115. (New): The method of claim 114, wherein the film former is an MQ resin.

116. (New): The method of claim 112, wherein the film former is an MQ resin.

117. (New): The method of claim 111, wherein the volatile oil is a volatile hydrocarbon oil.

118. (New): The method of claim 115, wherein the volatile oil is a volatile hydrocarbon oil.

119. (New): The method of claim 116, wherein the volatile oil is a volatile hydrocarbon oil.

120. (New): The method of claim 112, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

121. (New): The method of claim 116, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

122. (New): The method of claim 74, wherein the method comprises applying to the skin a composition comprising at least one polyorganosiloxane homopolymer or copolymer comprising at least one polyorganosiloxane group comprising at least two groups capable of establishing hydrogen interactions, at least one film former, and at least one volatile oil in an amount sufficient to make-up the skin.

123. (New): The method of claim 122, wherein the composition is liquid.

124. (New): The method of claim 122, wherein the polyorganosiloxane homopolymer or copolymer is a silicone-polyamide copolymer.

125. (New): The method of claim 122, wherein the film former is a silicone resin.

126. (New): The method of claim 125, wherein the film former is an MK or MQ resin.

127. (New): The method of claim 126, wherein the film former is an MQ resin.

128. (New): The method of claim 124, wherein the film former is an MQ resin.

129. (New): The method of claim 122, wherein the volatile oil is a volatile hydrocarbon oil.

130. (New): The method of claim 128, wherein the volatile oil is a volatile hydrocarbon oil.

131. (New): The method of claim 129, wherein the volatile oil is isododecane.

132. (New): The method of claim 130, wherein the volatile oil is isododecane.

133. (New): The method of claim 124, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

134. (New): The method of claim 128, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

135. (New): The method of claim 122, wherein the composition is anhydrous.

136. (New): The method of claim 135, wherein the polyorganosiloxane homopolymer or copolymer is a silicone-polyamide copolymer.

137. (New): The method of claim 135, wherein the film former is a silicone resin.

138. (New): The method of claim 137, wherein the film former is an MK or MQ resin.

139. (New): The method of claim 138, wherein the film former is an MQ resin.

140. (New): The method of claim 136, wherein the film former is an MQ resin.

141. (New): The method of claim 135, wherein the volatile oil is a volatile hydrocarbon oil.

142. (New): The method of claim 139, wherein the volatile oil is a volatile hydrocarbon oil.

143. (New): The method of claim 140, wherein the volatile oil is a volatile hydrocarbon oil.

144. (New): The method of claim 136, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.

145. (New): The method of claim 140, wherein the silicone-polyamide copolymer is present in an amount ranging from about 0.5% to about 10% by weight relative to the total weight of the composition.